

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample Silver Tincture

| | | | |
|-------------------|----------------------|------------------|--------------------------------|
| Sample ID | SD221202-053 (56399) | Matrix | Tincture (Other Cannabis Good) |
| Tested for | CBD For The People | | |
| Sampled | - | Received | Dec 01, 2022 |
| Analyses executed | CAN+ | Unit Volume (mL) | 30.0 |
| | | Reported | Dec 02, 2022 |
| | | Density (g/mL) | 1.0 |

Laboratory note: The estimated concentration of the unknown peak in the sample is 3.76 mg/mL | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)-d8-THC or d9-THC. At this time there are no reference standards available for (+)-d8-THC. (+)-d8-THC is a different compound from the main (-)-d8-THC cannabinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)-d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)-d8-THC and d9-THC with the majority, if not all, of the concentration being (+)-d8-THC. Total d8-THC is estimated to be 22.81 mg/mL.

CAN+ - Cannabinoids Analysis

Analyzed Dec 02, 2022 | Instrument HPLC-VWD | Method SOP-001
Measurement Uncertainty at 95% confidence 7.806%

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/mL | Result mg/Unit | Sample photography |
|--|----------|----------|----------|--------------|----------------|--------------------|
| Cannabidiol (CBD) | 0.039 | 0.16 | ND | ND | ND | |
| Cannabidiol Acid (CBDA) | 0.001 | 0.16 | ND | ND | ND | |
| Cannabigerol Acid (CBGA) | 0.001 | 0.16 | ND | ND | ND | |
| Cannabigerol (CBG) | 0.001 | 0.16 | 0.09 | 0.90 | 26.91 | |
| Cannabidiol (CBD) | 0.001 | 0.16 | 4.18 | 41.83 | 1254.90 | |
| Tetrahydrocannabinol (THCV) | 0.001 | 0.16 | ND | ND | ND | |
| Cannabinol (CBN) | 0.001 | 0.16 | 0.04 | 0.38 | 11.49 | |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | UI | UI | UI | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | 2.28 | 22.81 | 684.18 | |
| Cannabicyclol (CBL) | 0.002 | 0.16 | ND | ND | ND | |
| Cannabichromene (CBC) | 0.002 | 0.16 | ND | ND | ND | |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | ND | ND | ND | |
| Total THC (THCa + 0.877 + Δ9THC + Δ8THC) | | | ND | ND | ND | |
| Total THC + Δ8THC (THCa + 0.877 + Δ9THC + Δ8THC) | | | 2.28 | 22.81 | 684.18 | |
| Total CBD (CBDA + 0.877 + CBD) | | | 4.18 | 41.83 | 1254.90 | |
| Total CBG (CBGA + 0.877 + CBG) | | | 0.09 | 0.90 | 26.91 | |
| Total Cannabinoids | | | 6.59 | 65.92 | 1977.48 | |

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
Fri, 02 Dec 2022 18:10:50 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.